
CIRCULATION

An Official Journal of the American Heart Association

VOLUME XXVI
July-December 1962



AMERICAN HEART ASSOCIATION, INC.

CIRCULATION

AN OFFICIAL JOURNAL OF THE AMERICAN HEART ASSOCIATION

EDITOR-IN-CHIEF

HERRMAN L. BLUMGART, *Boston, Mass.*

EDITH E. PARRIS, ASSISTANT EDITOR

ASSOCIATE EDITORS

STANFORD WESSLER, *Boston, Mass.*

PAUL M. ZOLL, *Boston, Mass.*

EDITORIAL BOARD

WRIGHT R. ADAMS, *Chicago, Ill.*
E. COWLES ANDRUS, *Baltimore, Md.*
BENJAMIN M. BAKER, *Baltimore, Md.*
WILLIAM B. BEAN, *Iowa City, Iowa*
STANLEY E. BRADLEY, *New York, N. Y.*
EUGENE BRAUNWALD, *Bethesda, Md.*
BERNARD B. BRODIE, *Bethesda, Md.*
HOWARD B. BURCHELL, *Rochester, Minn.*
ANDRÉ COURNAND, *New York, N. Y.*
MICHAEL E. DE BAKEY, *Houston, Texas*
PAUL M. DENSEN, *New York, N. Y.*
ALBERT DORFMAN, *Chicago, Ill.*
CHARLES T. DOTTER, *Portland, Ore.*
LUDWIG W. EICHNA, *Brooklyn, N. Y.*
J. RUSSELL ELKINTON, *Philadelphia, Pa.*
A. CARLTON ERNSTENE, *Cleveland, Ohio*
A. STONE FREEDBERG, *Boston, Mass.*
DAVID G. FREIMAN, *Boston, Mass.*
HARRY GOLDBLATT, *Cleveland, Ohio*
ROBERT P. GRANT, *Bethesda, Md.*
HANS H. HECHT, *Salt Lake City, Utah*
EDGAR A. HINES, JR., *Oteen, N. C.*
SIBLEY W. HOOBLER, *Ann Arbor, Mich.*
FRANKLIN D. JOHNSTON, *Ann Arbor, Mich.*

LOUIS N. KATZ, *Chicago, Ill.*
JOHN D. KEITH, *Toronto, Canada*
JOHN W. KIRKLIN, *Rochester, Minn.*
CHARLES E. KOSSMANN, *New York, N. Y.*
HOWARD P. LEWIS, *Portland, Ore.*
JERE W. LORD, JR., *New York, N. Y.*
H. M. MARVIN, *New Haven, Conn.*
VICTOR A. MCKUSICK, *Baltimore, Md.*
THOMAS M. McMILLAN, *Philadelphia, Pa.*
FELIX E. MOORE, *Ann Arbor, Mich.*
DAVID F. OPDYKE, *Jersey City, N. J.*
LYSLE H. PETERSON, *Philadelphia, Pa.*
OSCAR D. RATNOFF, *Cleveland, Ohio*
MINDEL C. SHEPS, *Pittsburgh, Pa.*
SOL SHERRY, *St. Louis, Mo.*
ALBERT SJOERDSMA, *Bethesda, Md.*
HOWARD B. SPRAGUE, *Boston, Mass.*
FREDRICK J. STARE, *Boston, Mass.*
EUGENE A. STEAD, JR., *Durham, N. C.*
SAMUEL A. TALBOT, *Baltimore, Md.*
HELEN B. TAUSSIG, *Baltimore, Md.*
LEWIS THOMAS, *New York, N. Y.*
EARL H. WOOD, *Rochester, Minn.*
IRVING S. WRIGHT, *New York, N. Y.*
D. B. ZILVERSMIT, *Memphis, Tenn.*

PUBLICATIONS COMMITTEE, AMERICAN HEART ASSOCIATION

CHARLES A. R. CONNOR, *Chairman*
New York, N. Y.

WRIGHT R. ADAMS
Chicago, Ill.

ROBERT H. FURMAN
Oklahoma City, Okla.

SIMS GAYNOR
New York, N. Y.

HANS H. HECHT
Salt Lake City, Utah

RALPH E. KNUTTI
Bethesda, Md.

PAUL H. LAVIETES
New Haven, Conn.

PAUL MONTGOMERY
New York, N. Y.

W. HENRY RUSSELL
Mount Kisco, N. Y.

GEORGE E. WAKERLIN, *Medical Director, American Heart Association, New York, N. Y.*
E. COWLES ANDRUS
Baltimore, Md.
HERRMAN L. BLUMGART
Boston, Mass.
CARL F. SCHMIDT
Philadelphia, Pa.

CIRCULATION

VOLUME XXVI
July-December 1962

No. 1

EDITORIAL:

- From Bright Toward Light: The Story of Hypertension Research. George E. Wakerlin 1

ORIGINAL ARTICLES:

- Clinical Diagnosis of Cardiac Involvement in Systemic Lupus Erythematosus. A Correlation of Clinical and Autopsy Findings in Thirty Patients. Thomas Q. Kong, Robert E. Kellum, and John R. Haserick..... 7
- Renal and Adrenal Relationships in Refractory Edema. Edward Kessler, James G. Hilton, and M. Robert Levy..... 12
- Evaluation of Mitral Annuloplasty for Mitral Regurgitation. Clinical and Hemodynamic Status Four to Forty-one Months after Surgery. Arthur M. Anderson, Leonard A. Cobb, Robert A. Bruce, and K. Alvin Merendino.. 26
- Complete Interruption of the Aortic Arch. William C. Roberts, Andrew G. Morrow, and Eugene Braunwald..... 39
- Acyanotic Levocardia. Harold D. Rosenbaum, Edmund D. Pellegrino, and Leo J. Treziokas 60
- Cellular Infiltration of the Human Arterial Adventitia Associated with Atheromatous Plaques. C. J. Schwartz and J. R. A. Mitchell..... 73
- The Scalar Electrocardiogram, Vectorcardiogram, and Exercise Electrocardiogram in the Assessment of Congenital Aortic Stenosis. Paul G. Hugenholtz, Martin M. Lees, and Alexander S. Nadas..... 79
- Hemodynamic-Phonocardiographic Correlations of the Fourth Heart Sound in Aortic Stenosis. Allan Goldblatt, Maurice M. Aygen, and Eugene Braunwald 92
- Cardiac Myxomas with Systemic Embolization. Review of the Literature and Report of a Case. Jay Silverman, John S. Olwin, and John S. Graettinger 99
- Hypertension due to Renal Artery Stenosis Caused by Abdominal Aortic Aneurysm. Successful Treatment by Nephrectomy. D. Gordon Abrahams and E. H. O. Parry..... 104
- Partial Situs Inversus with Levocardia. An Unusual Combination of Anomalies. S. Padmavati and Savitri Gupta..... 108
- Congenital Defect of the Pericardium. Its Resemblance to Pulmonary Artery Enlargement. Noble O. Fowler..... 114

CLINICAL PROGRESS:

- The Mode of Action and Use of Chlorothiazide and Related Compounds. John H. Laragh 121

ABSTRACTS 133

NEWS FROM THE AMERICAN HEART ASSOCIATION..... 148

CONTRIBUTORS TO THIS ISSUE..... 159

No. 2

EDITORIAL:

- Hypertrophic Subaortic Stenosis—A Broadened Concept.** Eugene Braunwald, Edwin C. Brockenbrough, and Andrew G. Morrow..... 161

ORIGINAL ARTICLES:

- Studies on Digitalis. V. Comparison of the Effects of Ouabain on Left Ventricular Dynamics in Valvular Aortic Stenosis and Hypertrophic Subaortic Stenosis.** Eugene Braunwald, Edwin C. Brockenbrough, and Robert L. Frye 166
- Quantitative Radiocardiography. I. Theoretical Considerations.** L. Donato, C. Giuntini, M. L. Lewis, J. Durand, D. F. Rochester, R. M. Harvey, and A. Cournand 174
- Quantitative Radiocardiography. II. Technic and Analysis of Curves.** L. Donato, D. F. Rochester, M. L. Lewis, J. Durand, J. O. Parker, and R. M. Harvey.. 183
- Quantitative Radiocardiography. III. Results and Validation of Theory and Method.** M. L. Lewis, C. Giuntini, L. Donato, R. M. Harvey, and A. Cournand 189
- Abdominal Aortic Aneurysms. A Reappraisal.** Irwin J. Schatz, John F. Fairbairn II, and John L. Juergens..... 200
- Resection of Myocardial Aneurysms after Infarction during Temporary Cardiopulmonary Bypass.** C. Walton Lillehei, Morris J. Levy, Richard A. DeWall, and Herbert E. Warden..... 206
- Endocardial Cushion Defect. Preoperative and Postoperative Survey.** Lewis P. Scott, Anna J. Hauck, Alexander S. Nadas, and Robert E. Gross..... 218
- Secondary Malignant Tumors of the Pericardium.** Deloran L. Thurber, Jesse E. Edwards, and Richard W. P. Achor..... 228
- Pressor Responses to Noxious Stimuli in Hypertensive Patients. Effects of Reserpine and Chlorothiazide.** Alvin P. Shapiro..... 242
- Thoracic Arterial Arch Anomalies.** Hu A. Blake and William C. Manion.... 251
- Congenital Absence of the Pulmonary Valve. The Clinical Syndrome of Tetralogy of Fallot with Pulmonary Regurgitation.** Robert A. Miller, Maurice Lev, and Milton H. Paul..... 266
- The Two-Chambered Right Ventricle. Report of Nine Cases.** Alexis F. Hartmann, Jr., Argyrios A. Tsifutis, Hakan Arvidsson, and David Goldring 279
- Congenital Saccular Aneurysms of the Aortic Ring.** H. Edward MacMahon and Dieter H. Keller..... 288

CLINICAL PROGRESS:

- The Present Role of Hypothermia in Cardiac Surgery.** F. C. Spencer and H. T. Bahnson 292

ABSTRACTS 301**NEWS FROM THE AMERICAN HEART ASSOCIATION..... 315****CONTRIBUTORS TO THIS ISSUE 319**

No. 3

EDITORIALS:

- The Laboratory Control of Anticoagulant Therapy.** Osear D. Ratnoff..... 321
- The Closed Chest Method of Cardiopulmonary Resuscitation. Benefits and Hazards 324**

CONTENTS OF VOLUME XXVI

v

ORIGINAL ARTICLES:

- Idiopathic Ventricular Septal Hypertrophy Causing Muscular Subaortic Stenosis.** E. Douglas Wigle, Raymond O. Heimbecker, and Ramsay W. Gunton.. 325
- The Response of the Abnormal Heart to Exercise.** Réjane M. Harvey, William M. Smith, John O. Parker, and M. Irené Ferrer..... 341
- Paroxysmal Tachycardia after Exercise.** Perry B. Miller and Lawrence W. Pollard 363
- Myocardial Infarction Patterns in Young Subjects with Normal Coronary Arteriograms.** William Likoff, Bernard Segal, and Leonard Dreifus..... 373
- Changes in Serum Lipids in Relation to Emotional Stress during Rigid Control of Diet and Exercise.** Stewart Wolf, William R. McCabe, Joe Yamamoto, C. A. Adsett, and W. W. Schottstaedt..... 379
- The Supernormal Phase of Atrioventricular Conduction. I. Fundamental Mechanisms.** A. Piek, R. Langendorf, and L. N. Katz..... 388
- Effects of Chlorothiazide on Systemic Hemodynamics in Essential Hypertension.** Herman Villarreal, José Emilio Exaire, Andrés Revollo, and Jorge Soní 405
- Effects of Chlorothiazide on Renal Hemodynamics. Comparative Study of Acute Administration in Normotensive and Hypertensive Subjects.** Herman Villarreal, Andrés Revollo, José Emilio Exaire, and Francisco Larrondo..... 409
- Negative P Waves in Lead I in Dextroversion: Differential Diagnosis from Mirror-Image Dextrocardia. With a Report of a Successful Closure of a Ventricular Septal Defect in a Patient with Dextroversion Associated with Agenesis of the Right Lung.** M. Mirowski, Catherine A. Neill, Henry T. Bahnson, and Helen B. Taussig..... 413
- The Diagnosis of Bilateral Stenosis of the Primary Pulmonary Artery Branches Based on Characteristic Pulmonary Trunk Pressure Curves. A Hemodynamic and Angiocardigraphic Study.** M. H. Agustsson, R. A. Arcilla, B. M. Gasul, J. P. Bieoff, S. I. Nassif, and B. L. Lendrum..... 421
- Mitral Insufficiency Simulating Aortic Stenosis.** Julian C. Sleeper, Edward S. Orgain, and Henry D. McIntosh..... 428
- Arteriovenous Aneurysm of Phrenic Vessels Simulating Cardiac Fistula.** Ian R. Gray and H. Parry Williams..... 434

SPECIAL ARTICLE:

- Dr. George E. Fahr and His Era.** Howard B. Sprague..... 439

CLINICAL PROGRESS:

- Shock: A Semantic Enigma.** Robert F. Rushmer, Robert L. Van Citters, and Dean L. Franklin 445

ABSTRACTS 460

NEWS FROM THE AMERICAN HEART ASSOCIATION..... 475

CONTRIBUTORS TO THIS ISSUE..... 478

No. 4

PART ONE

EDITORIAL:

- Myocardial Infarction Becomes Emeritus.** William Dock..... 481

ORIGINAL ARTICLES:

- Operative Results in Aortic Valve Surgery.** Earle B. Kay, Akio Suzuki, and David Mendelsohn, Jr..... 484

Correlation of Arteriographic and Pathologic Findings in the Coronary Arteries in Man. C. R. Gray, H. A. Hoffman, W. S. Hammond, K. L. Miller, and R. O. Oseasohn.....	494
The Postpericardiotomy Syndrome. Its Relationship to Ambulation in the Presence of "Benign" Pericardial and Pleural Reaction. John B. McGuinness and Helen B. Taussig.....	500
Angiocardiographic Measurement of the Cardiac Segment of the Inferior Vena Cava in Health and in Cardiovascular Disease. Edwin Ettinger and Israel Steinberg	508
Studies on Starling's Law of the Heart. VIII. Mechanical Properties of Human Myocardium Studied in Vivo. Maurice M. Aygen and Eugene Braunwald....	516
Constrictive Pericarditis with Particular Reference to Etiology. Ross Robertson and Craig R. Arnold.....	525
A Longitudinal Study of Blood Pressure. William R. Harlan, Robert K. Osborne, and Ashton Graybiel.....	530
Electrocardiogram and Spatial Vectorcardiogram of Localized Myocardial Hypertrophy. George E. Burch and Nicholas P. DePasquale.....	544
The Electrocardiographic Findings in Left Ventricular Hypertrophy and Dilation. Louis A. Soloff and John W. Lawrence.....	553
Further Electrocardiographic Observations on Direct Epicardial Potentials in Congenital Heart Lesions. Differential Features of Right Ventricular Preponderance and Right Bundle-Branch Block. R. H. Wasserburger, W. P. Young, K. Siebecker, L. K. Hawkins, B. Bamforth, and J. T. King.....	561
Congenital Stenosis of Individual Pulmonary Veins. John D. Shone, Kurt Amplatz, Ray C. Anderson, Paul Adams, Jr., and Jesse E. Edwards.....	574
SPECIAL ARTICLE:	
The Electrical Potential Difference Across the Cell Membrane of Heart Muscle. Biophysical Considerations. Ernest Page.....	582
CLINICAL PROGRESS:	
Proteolysis, Fibrinolysis, and Coagulation. Significance in Thrombolytic Therapy. Benjamin Alexander, Liberto Pechet, and Allan Kliman.....	596
COMMITTEE REPORT:	
Report on the Effect of Strain and Trauma on the Heart and Great Vessels. Committee of the Council on Community Service and Education of the American Heart Association	612
ABSTRACTS	623
NEWS FROM THE AMERICAN HEART ASSOCIATION.....	636
CONTRIBUTORS TO THIS ISSUE.....	639
PART TWO	
ABSTRACTS, American Heart Association, 35th Annual Scientific Sessions, and 16th Annual Meeting, Council on Arteriosclerosis.....	641

No. 5

PART ONE

EDITORIAL:

On the Etiology of Calcific Aortic Stenosis. Jesse E. Edwards.....	817
---	-----

ORIGINAL ARTICLES:

- The Morphogenesis of Transposition of the Great Vessels. Robert P. Grant.. 819
- The Natural History of Atherosclerosis. Marcel M. Vastesaegeer
and R. Delcourt..... 841
- Surgical Treatment of Congenital Aortic Stenosis by Cardiopulmonary Bypass.
Including Methods for Preoperative Diagnosis of Types. C. Walton Lillehei,
Morris J. Levy, Richard L. Vaeo, Yang Wang, Paul Adams,
and Ray C. Anderson..... 856
- Studies of Fat Absorption in Patients with Hypercholesteremia and in Patients
with Coronary Artery Disease. Bennett Levine and Herschel Cohen..... 873
- Ventricular Fusion Beats. Henry J. L. Marriott, Neil L. Schwartz,
and Harold H. Bix..... 880
- Clinical Syndrome of Anomalous Position of the Popliteal Artery. Differentia-
tion from Juvenile Arteriopathy. Manfredi Servello..... 885
- The Orthogonal Vectorcardiogram in 100 Normal Children (Frank System).
With Some Comparative Data Recorded by the Cube System.
Paul G. Hugenholtz and Jerome Liebman..... 891
- The Acid-Base Vector of Open-Heart Surgery. Francis A. Puyau,
Richard E. L. Fowler, Rosalind Novick, Harold Albert, and Bert Glass..... 902
- Posterior Rotation of the Atrial Vector. An Electrocardiographic Sign of Left
Heart Failure. Alton I. Sutnick and Louis A. Soloff..... 913
- Some Regulatory Mechanisms of the Human Pulmonary Vascular Bed.
Celia Oakley, Gerald Glick, Milton N. Luria, Bernard F. Schreiner, Jr.,
and Paul N. Yu..... 917
- Acquired Pulmonic Stenosis. Report of a Case Caused by Mediastinal Neo-
plasm. Kenneth B. Babcock, Richard D. Judge, and Joseph J. Bookstein.... 931
- An Unusual Complication of Inferior Venacavography. A Case Report.
P. Ruben Koehler and Harold J. Isard..... 935

SPECIAL ARTICLE:

- Oxidation Reduction in Heart Muscle. Theoretical and Clinical Considerations.
S. Gudbjarnason, R. O. Hayden, V. E. Wendt, T. B. Stock, and R. J. Bing.... 937

CLINICAL PROGRESS:

- Problems in the Electrocardiographic Diagnosis of Ventricular Enlargement.
Thomas W. Parkin..... 946

ABSTRACTS 958**NEWS FROM THE AMERICAN HEART ASSOCIATION** 972**CONTRIBUTORS TO THIS ISSUE** 975**PART TWO****SYMPOSIUM ON THE PLASMA MEMBRANE** 977**No. 6****EDITORIAL:**

- By U. S. von Euler 1233

ORIGINAL ARTICLES:

- Supravalvular Aortic Stenosis in Association with Mental Retardation and a
Certain Facial Appearance. A. J. Beuren, J. Apitz, and D. Harmjanz..... 1235
- Mitral Regurgitant Flow and Left Ventricular Function in Patients with
Mitral Valve Disease. Anthony D. Jose and L. Bernstein..... 1241

The Significance of Asplenia in the Recognition of Inoperable Congenital Heart Disease. William C. Roberts, William B. Berry, and Andrew G. Morrow...	1251
The Two-Step Exercise Electrocardiogram. A Double-Blind Evaluation of Its Use in the Diagnosis of Angina Pectoris. Charles K. Friedberg, Harry L. Jaffe, Leon Pordy, and Kenneth Chesky.....	1254
Quadrilateral Peripheral Vascular Disease in the Young Adult. Falls B. Hershey, Morton D. Pareira, and Robert C. Ahlvin.....	1261
The Effects of Surgical Abolition of Left-to-Right Shunts on the Pulmonary Vascular Dynamics of Patients with Pulmonary Hypertension. Nina S. Braunwald, Eugene Braunwald, and Andrew G. Morrow.....	1270
Hemodynamic Studies of a Monoamine Oxidase Inhibitor, DL-Serine-N²-Isopropylhydrazide (RO 4-1038). Mechanism of Hypotensive Action. M. H. Maxwell, H. C. Goniek, L. Scaduto, M. L. Pearce, and C. R. Kleeman.....	1279
Atherosclerotic Disease of the Coronary Arteries. A Pathologic-Radiologic Correlative Study. Joseph H. Eusterman, Richard W. P. Achor, Owings W. Kincaid, and Arnold L. Brown, Jr.	1288
The Apical First Heart Sound as an Aid in the Diagnosis of Atrial Septal Defect. Jose F. Lopez, Harold Linn, and Aaron B. Shaffer.....	1296
Physiologic Studies Following Surgical Correction of Atrial Septal Defect and Similar Lesions. Kai Rehder, John W. Kirklin, and Richard A. Theye..	1302
Use of Bayes' Theorem in Ophthalmodynamometry. E. F. Vastola and T. Kokubu	1312
Successful Excision of a Left Ventricular Hamartoma. Report of a Case. Floyd R. Parks, Jr., Forrest Adams, and William P. Longmire, Jr.	1316
Rupture of the Infarcted Interventricular Septum. Surgical Repair with Survival. Orville W. Boicourt, Leonard W. Ritzmann, John D. Chase, Albert Starr, and Colin W. McCord.....	1321
Mitral Insufficiency Resulting from Rupture of Normal Chordae Tendineae. Report of a Surgically Corrected Case. L. E. January, June M. Fisher, and J. L. Ehrenhaft	1329
Inadvertent Myocardial Biopsy. A Potential Hazard during Left Ventricular Puncture. David H. Blankenhorn, Roger W. Jelliffe, Neal F. Amsden, and John L. Johnson	1334
The Electrocardiogram in Ventricular Hypertrophy and Bundle-Branch Block. A Panel Discussion. Charles E. Kossmann, <i>Moderator</i> , Howard B. Burchell, Raymond D. Pruitt, and Ralph C. Scott.....	1337

SPECIAL ARTICLE:

Patterns of Disease, Controlled Populations, and Experimental Design. Herbert L. Ratcliffe and Robert L. Snyder.....	1352
---	------

CLINICAL PROGRESS:

Primary Pulmonary Hypertension. Review of Clinical Features and Pathologic Physiology with a Report of Pulmonary Hemodynamics Derived from Repeated Catheterization. Julian C. Sleeper, Edward S. Orgain, and Henry D. McIntosh.....	1358
---	------

ABSTRACTS	1370
------------------------	------

NEWS FROM THE AMERICAN HEART ASSOCIATION.....	1386
--	------

CONTRIBUTORS TO THIS ISSUE.....	1390
--	------

VOLUME AUTHOR INDEX	1393
----------------------------------	------

VOLUME SUBJECT INDEX	1395
-----------------------------------	------

a more effective diuretic program

In a comparative study* of hospitalized patients with edema, "combined spironolactone [ALDACTONE] and chlorothiazide therapy was significantly more effective than chlorothiazide alone." The diuretic response was enhanced, and the potassium-losing effect of chlorothiazide diminished, by the concomitant administration of ALDACTONE. "The additive diuretic effect of combined spironolactone [ALDACTONE] and chlorothiazide therapy constitutes further evidence that these drugs interfere with separate sodium reabsorptive mechanisms."

*Ogden, D. A.; Scherr, L.; Spritz, N., and Rubin, A. L.: New Engl. J. Med. 265:358-362 (Aug. 24) 1961.

new-improved **ALDACTONE-A[®]**

(brand of spironolactone) tablets of 25 mg.


■ effective in lower dosage ■ provides substantial savings to your patients

ALDACTONE-A is a newly compounded tablet in which ALDACTONE is dispersed throughout a water-soluble matrix. Because of better absorption, the new ALDACTONE-A tablet of 25 mg. is usually equivalent to the original ALDACTONE[®] tablet of 100 mg. in both blood levels and clinical effects. The two forms are therapeutically interchangeable. Further information and dosage recommendations are contained in Physicians' Product Brochure No. 39.

G. D. Searle & Co., P. O. Box 5110, Chicago 80, Illinois. Research in the Service of Medicine

SEARLE

from the leader in cardiac resuscitation
instrumentation



new pre-eminence
in the prevention,
detection and
automatic treatment
of Cardiac Arrest

the Electrodyne PMS-5


Proudly we present our latest and most refined instrument for the prevention, detection and automatic treatment of ventricular standstill through the application of efficacious electrical impulses through the intact chest or directly to the heart.

Engineered for unexcelled valuable time-saving simplicity of operation, only Electrodyne offers an instrument of this type. Monitoring heart action visually and audibly, it instantly signals Cardiac Arrest and automatically provides external stimulation. Any Cardiac Arrhythmia is instantly recognizable on the highly visible large 5" Electrocardioscope which presents a continuous display of the electrocardiogram.

Please write for an informative file of technical specifications on this and other fine Electrodyne equipment.



- Only Electrodyne offers an instrument of this type.
- Full 5" electrocardioscope for greater visibility.
- Simplicity of operation, functional appearance.



Electrodyne Company, Inc.
30 Endicott Street, Norwood, Massachusetts, U. S. A.

The reputation of Electrodyne instruments has established leadership in the field of medical electronics for the preventive detection and treatment of Cardiac Standstill, Ventricular Fibrillation and Cardiac Arrhythmias.



for the tense and anxious patient...



sustained relief for 10 to 12 hours

Smooths out emotional peaks and valleys

Meprospan-400 is the sustained-release form of meprobamate. Just one capsule smooths out the anxious patient's emotional peaks and valleys for 10 to 12 hours—and provides these other advantages:

- 1. Especially suitable for maintenance therapy.** Patients whose acute anxiety has diminished to a mild or moderate level do not, usually, need high dosages of tranquilizers. Yet, often, they still require a certain amount of tranquilization throughout the day. The sustained-release action of Meprospan is ideally suited to this type of patient.
- 2. Simpler dosage schedule.** Because one capsule of Meprospan-400 works for 10 to 12 hours, the patient enjoys a dosage schedule that is much simpler than with tablets

— and the chances of patients forgetting to take their medicine are considerably reduced.

- 3. Well tolerated.** Meprospan-400 does not disturb cardiovascular, G.I., G.U. or glandular functions. It does not muddle the mind or impair physical activity.

Available: *Meprospan-400*, each blue-topped capsule contains 400 mg. meprobamate. *Meprospan-200*, each yellow-topped capsule contains 200 mg. meprobamate. Both potencies in bottles of 30. **Usual dosage:** One 400 mg. capsule or two 200 mg. capsules at breakfast; repeat with evening meal.

Meprospan®-400

meprobamate in sustained-release capsules



WALLACE LABORATORIES/Cranbury, N. J.

INFO-DEX[®] HEART REGISTRY SYSTEM

... a basic tool
for studying
the magnitude
and nature of
the cardio-vascular
disease problem



*Write for
additional information
and Free Samples
With No Obligation*

A Vital Aid for Research and Teaching

for Hospital use and Private office

The INFO-DEX HEART REGISTRY SYSTEM has been devised through years of research.

The INFO-DEX HEART REGISTRY SYSTEM is a complete and simplified statistical filing system for the evaluation of treatments in cardio-vascular diseases. An essential feature for teaching and research. It contains nine files in one: Name file, Diagnostic file (Primary and Secondary), Coding of treatment file, Follow-up file, Survival time, Death, and Autopsy file.

The INFO-DEX HEART REGISTRY SYSTEM is inexpensive, compact, efficient, and can be maintained with a minimum of clerical detail.

The INFO-DEX HEART REGISTRY SYSTEM is patterned after the INFO-DEX CANCER REGISTRY SYSTEM now in use in over 700 hospitals.

MEDICAL CASE HISTORY BUREAU
17 W. 60th Street, New York 23, New York
Dept. H-122

Name _____

Hospital _____

Address _____

City _____ Zone _____ State _____

**To meet the crisis of
failing blood pressure:**

**Hypertensin-CIBA®
potent vasopressor**

Hypertensin-CIBA is one of the most potent vasopressor substances ever encountered. Rise in blood pressure is immediate and is a result of increased peripheral resistance, particularly by the visceral blood vessels. Tachyphylaxis, local necrosis, and reflex hypotension have not been reported.

For complete information about Hypertensin-CIBA (including dosage, administration, cautions, and side effects), write CIBA.

SUPPLIED: *Vials*, each containing 2.5 mg. Hypertensin-CIBA with 47.4 mg. mannitol and 0.1 mg. thimerosal as lyophilized powder.
HYPERTENSIN-CIBA® (angiotensin amide) /30322HB

C I B A
SUMMIT, N. J.

CAMBRIDGE CARDIAC DIAGNOSTIC INSTRUMENTS

"Trans-Scribe"

The Battery-Operated Electrocardiograph



Designed to give the same accurate and dependable records associated with Cambridge instruments for more than forty years.


"Versa-Scribe"

The Versatile Electrocardiograph




The completely new portable instrument providing greatly improved performance and versatility not found in any other direct writing electrocardiograph.

External Defibrillator



A portable, self-contained unit that simplifies, speeds and standardizes cardiac resuscitation.



"Simpli-Scribe"

Direct Writer Electrocardiograph

Provides the Cardiologist, Clinic or Hospital with a portable direct writing Electrocardiograph of utmost usefulness and accuracy.

Dye-Dilution Curve Recorder



Records changes of concentration of a dye injected at selected sites in the venous circulation. Determines cardiac output; detects and locates cardiac shunts.

Audio-Visual Heart Sound Recorder




Enables the Doctor to simultaneously HEAR, SEE and permanently RECORD heart sounds.



Pulmonary Function Tester

A completely integrated, easy-to-use instrument for the determination of such functions as Functional Residual Capacity, Tidal Volume, Vital Capacity, Total Lung Capacity, Total Breathing Capacity, Basal Metabolic Rate, etc.

Operating Room Cardioscope



Provides continuous observation of the Electrocardiogram and heart-rate during surgery. Warns of approaching cardiac stand-still. Explosion-proof.

Multi-Channel Recorders



For physiological research, cardiac catheterization and routine electrocardiography.

CAMBRIDGE ALSO MAKES

CENTRAL MONITOR SYSTEMS—For surgery, intensive care and recovery room.

RESEARCH pH METER—For biological and research work. Sensitive to .005 pH, readings reproducible to .01 pH.

HUXLEY ULTRA MICROTOME—For cutting sections with exceptional uniformity between thicknesses of 100° A and 1500° A, in 50° A steps, for use with the electron microscope.

Send for Descriptive Literature

CAMBRIDGE INSTRUMENT CO., INC.

Graybar Building, 420 Lexington Ave., New York 17, N.Y.

Cleveland 2, Ohio
8419 Lake Avenue


Detroit 37, Mich.
13730 W. Eight Mile Rd.

Oak Park, Ill.
6605 West North Avenue

Jenkintown, Pa.
479 Old York Road

Silver Spring, Md.
933 Gist Avenue

PIONEER MANUFACTURERS OF THE ELECTROCARDIOGRAPH



From the crude leaf...the purest crystals

Just another garden plant until 1930, *Digitalis lanata* finally yielded its secret to researchers at the Wellcome Research Laboratories. In its leaf they found a superior cardiac glycoside—digoxin.

Today, extraction and purification methods perfected over the years distinguish 'Lanoxin' brand Digoxin preparations as products of exceptional quality and reliability. From the crude leaf with its varying glycoside content, through continuing glycosidal chemistry and biological studies in our

laboratories, we are able to provide the medical profession with a pure crystalline form of digoxin. We believe no other agent is so readily adaptable to all the clinical requirements of digitalis therapy.


By specifying 'Lanoxin'®—tablets, injection or pediatric elixir—physicians who wish to rely upon the long experience of Burroughs Wellcome & Co. can insure that their patients will get the original digoxin.

'LANOXIN'® DIGOXIN



BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, N. Y.

the Lown Cardioverter



**assures safe treatment for a
number of cardiac arrhythmias**

PROBLEM: External electrical countershock is, in principle, an ideal method for treating a number of disorders of cardiac rhythm. Elective use of shock for certain intractable arrhythmias has been precluded by the possibility of producing more serious disorders of the heart beat. Whenever a flow of current occurs during a brief phase within the cardiac cycle, known as the vulnerable period, ventricular fibrillation results.

SOLUTION: The Lown Cardioverter* completely eliminates this hazard. An electronic synchronizer permits careful placement of a direct current discharge (DC) at any time within the cardiac cycle by triggering it through the preceding QRS complex. The

extremely short DC discharge (2.5 milliseconds) may be placed safely outside the vulnerable period and permits the use of synchronized DC countershock for the treatment of ventricular tachycardia or atrial fibrillation.

Other disturbances in rhythm, such as atrial flutter, atrial tachycardia and nodal tachycardia may be readily controlled by this same method. The instrument can also be used as an effective external pacemaker defibrillator. Available in Table, Cart and Rack models.

*Cardioverter was developed by Dr. Bernard Lown, Cardiovascular Laboratory, Department of Nutrition, Harvard University, School of Public Health, in cooperation with American Optical Company.

American Optical
COMPANY

INSTRUMENT DIVISION, BUFFALO 15, NEW YORK

Dept. L311

Gentlemen:

Please send further information on the Lown Cardioverter.

☐ TABLE MODEL ☐ CART MODEL ☐ RACK MODEL

NAME _____

ADDRESS _____

CITY _____

THE BING-GADD HEART CATHETER DEFLECTOR

by A.C.M.I.



A special stylet that permits deflection during heart catheterization.

It provides precise control of the distal tip of the cardiac catheter to facilitate catheterization of difficult areas in the heart such as the coronary sinus, coronary artery and intravalvular catheterization.

FEATURES

- Simple construction.
- Slides freely into full length of catheter lumen.
- Smooth surface does not abrade or scratch the lumen wall.
- Affords more stiffness to the catheter.
- Transmits actuating forces from the external manipulator to tip of the catheter without binding movements upon the intervening length of the catheter.




Consult your dealer
or
write for information

American Cystoscope Makers, Inc.

8 Pelham Parkway, Pelham Manor (Pelham), New York

Cat. No. 2190





**Measure PRESSURE
TEMPERATURE • AIR FLOW
VELOCITY • DISPLACEMENT • FORCE
with PRECISION
SANBORN TRANSDUCERS**

You can meet a wide variety of requirements from this broad selection of accurate, compact Sanborn Transducers. Series 267 and 268 Physiological Pressure Transducers are designed for either differential or single-ended measurements in such applications as cardiac catheterization and studies of circulatory, respiratory, esophageal, spinal or gastric pressures. Two basic sensitivities are available: 1.0 or 0.1 mm Hg produces 1 cm. chart deflection. Model 270 Bi-Directional Differential Gas Pressure Transducer permits measurements of small pressure changes (1 cm/0.5 mm H₂O) over a wide range with excellent linearity and low drift. Pneumotach heads for respiratory air flow measurements are available for use with the 270. Excellent stability and temperature compensation also make the Model 270 particularly

suitable for plethysmography applications.

Model 760-53 Calibrated Temperature Bridge and a variety of interchangeable thermistor probes are available for use with any Sanborn Carrier Preamplifier for accurate recording or monitoring of physiological temperatures with full scale sensitivity of 1°C and 2.5°C.

In addition, Sanborn offers pneumograph and pulse wave attachments, heart sound microphones, linear velocity and displacement transducers, and transducers for force measurements in myographic studies. For complete information contact your nearest Sanborn Branch Office or Service Agency—or write Manager, Research Instrument Sales, Medical Division.

MEDICAL DIVISION
SANBORN COMPANY
175 Wyman St., Waltham 54, Massachusetts



Bed of *Digitalis purpurea*
with *Campanula* (Canterbury Bells) in foreground

Not far from here are manufactured
from the powdered leaf
Pil. Digitalis (Davies, Rose)

0.1 Gram ($1\frac{1}{2}$ grains) or 1 U.S.P. Digitalis Unit.

They are physiologically standardized,
with an expiration date on each package.

Being Digitalis in its completeness,
this preparation comprises the
entire therapeutic value of the drug.

It provides the physician with a safe and effective
means of digitalizing the cardiac patient
and of maintaining the necessary saturation.

Security lies in prescribing the
"original bottle of 35 pills, Davies, Rose."


Clinical samples and literature sent to physicians on request

Davies, Rose & Co., Ltd.

Boston 18, Mass.

"Electrocardiographic abnormalities were observed in 25% [of 135 apparently healthy men] during or after the exercise or both."

Bellet, S., et al.: *Circulation* 25:686 (Apr.) 1962



The electrocardiogram taken during exercise has evident advantages in the detection of coronary artery and myocardial disease.¹ This valuable diagnostic technique is now a practical procedure through the *RKG 100* radio-electrocardiograph. The simplified *RKG 100* broadcasts the electrocardiographic waves from patient to recording or display equipment with no connective cables between. While permitting complete freedom of movement, it produces tracings with a steady and stable baseline virtually free of artifact. By this method records can be obtained during the period of exercise when the heart is under greatest strain and relative myocardial ischemia is most pronounced.² Additionally *RKG* systems are in use in many physicians' offices, hospitals and laboratories for a wide variety of applications.

Included are: cardiac monitoring during surgery, intensive care, x-ray, catheterization, electro-shock,³ rehabilitation, drug evaluation

and animal studies and fetal radio-electrocardiography,⁴ electroencephalography, and electromyography. The convenience and simplicity of the *RKG 100* also enables securing heretofore unobtainable data on-the-job, at home or recreation. Band-Aid type Telectrodes* and a battery-operated, pocket-size transmitter relay the EKG to a receiver located as far as 1,500 feet away. The unit can be used with any conventional recording apparatus or display equipment. No complex settings or adjustments are required. The *RKG 100* transmits on a special radio frequency allocated by the Federal Communications Commission.

*Registered trademark, patent pending. 1. Bellet, S., et al.: *Am. J. Cardiol.* 8:385 (Sept.) 1961. 2. Bellet, S., et al.: *Circulation* 25:5-14 (Jan. Part 1) 1962. 3. Deliyannis, S., et al.: *Am. J. Cardiol.* 10:187 (Aug.) 1962. 4. Kendall, B., et al.: *Am. J. Ob. Gyn.* 83:12 (Jun. 15) 1962.

The Special Technology Division of Telemedics Inc. is prepared to assist in the solution of instrumentation problems through consultation, development and production of custom equipment.

For further information
please write to:

TELEMEDICS INC.

SOUTHAMPTON, PENNSYLVANIA

A Subsidiary of Vector Manufacturing Company, Inc.

Boston • Cleveland • Dallas • Los Angeles • New York • Philadelphia

B-D ARTERIAL CATHETERIZATION OUTFITS

Connecting the gap between the surgeon's hand and the patient's heart are B-D Arterial Catheterization outfits; skillfully engineered and formed of the finest materials. Each contains a thin-wall arterial needle, a flexible guide, radiopaque tubing in small, medium, or large size, and a LUER-LOK adapter.


Instrument and equipment development by CSI illustrates a new concept in professional service. The

resources and facilities of this special division of B-D are directed toward the constant improvement of instrumentation for the medical profession. Direct inquiries to CSI Division, Becton, Dickinson and Company, Rutherford, New Jersey.

B-D BECTON, DICKINSON AND COMPANY
Rutherford, New Jersey

IN CANADA: BECTON, DICKINSON & CO., CANADA, LTD., TORONTO 10, ONTARIO
B-D AND LUER-LOK ARE TRADEMARKS.

97362



the connecting link between hand and heart



Improved X-65 Oximeter

**Determines and monitors
blood oxygen saturation**



The new X-65 Oximeter combines in a single instrument a method for the immediate continuous determination of percent blood oxygen saturation.

Two versions of this new oximeter are now available; one operates with an earpiece only, and the other operates with either an earpiece or cuvette for whole blood samples. After three straight forward calibration settings, blood saturation is indicated on easy reading scale in direct percent. The X-65 has wide application . . . from routine clinical determination of arterial oxygen saturation of adults and new-born infants, to monitoring oxygen saturation during anesthesiology.

For recording saturations inquire about the Model X-90A Oximeter recording system.



Waters

ELECTRO-MEDICAL INSTRUMENTS

**THE WATERS CORPORATION
ROCHESTER, MINNESOTA**

Write for Bulletin X-65

INDEX TO ADVERTISERS

December, 1962

(Advertisements are numbered in bold face at bottom of page)

Abbott Laboratories	22, 23, 24, 25	Oxford Laboratories, Inc.....	9
American Cystoscope Makers, Inc.....	37	Pfizer Laboratories	20, 21
American Electronic Laboratories, Inc.....	44	Riker Laboratories, Inc.....	Inside Back Cover
American Optical Company.....	36	Sanborn Company	38
Amfre Grant, Inc.....	13	Schering Corporation	8, 9
Becton, Dickinson and Company.....	41	Schick X-Ray Company, Inc.....	26
Burdick Corporation	19	G. D. Searle & Company.....	29
Burroughs Wellcome & Company.....	35	Southeastern Pennsylvania Heart Assoc.....	8
Cambridge Instrument Company.....	34	Telemedics Inc.	40
Ciba Pharmaceutical Company.....	10, 14, 15, 33, 43	Wallace Laboratories	18, 27, 31
Davies, Rose & Company, Ltd.....	39	Warner-Chilcott Laboratories	3
Electrodyne Company, Inc.....	30	Waters Corporation	42
Endo Laboratories	6	Winthrop Laboratories.....	Inside Front Cover
Eli Lilly and Company.....	12, 28	Wyeth Laboratories	7, 16
Medical Case History Bureau.....	32	Wynn Pharmacal Corporation.....	17
Wm. S. Merrell Company.....	11		

All possible care is taken in the preparation of this index. The publishers are not responsible for any errors or omissions.



When you see a tense hypertensive patient, you see a candidate for Serpasil

Patients with high blood pressure plus one or more symptoms of tension—restlessness, rapid heart rate, excessive sweating, agitation—benefit from the distinctive calming action of Serpasil. Serpasil shields the tense hypertensive patient from nervousness that raises his blood pressure. The result: pressure goes down, heart rate decreases.

In mild to moderate hypertension, Serpasil is basic therapy. In more severe hypertension,

Serpasil is valuable as a primer and background agent; by allowing lower dosage of more potent antihypertensives, Serpasil reduces the incidence and severity of side effects.

SUPPLIED: Tablets, 1 mg. (white, scored), 0.25 mg. (white, scored) and 0.1 mg. (white).

For complete information about Serpasil (including dosage, cautions, and side effects), see current Physicians' Desk Reference or write CIBA, Summit, N. J. 27706488

SERPASIL®
(reserpine CIBA)

C I B A



PINPOINT OBSCURE HEART DEFECTS

by recording sounds in the heart chambers with the



INTRACARDIAC PHONOCATHETER

Makes possible more positive diagnosis of obscure defects particularly in congenital cases.



COARTATION OF THE LEFT PULMONARY ARTERY is displayed on this chart. Trace No. 2 was obtained from the phonocatheter whose tip (sound pickup) was in the right pulmonary artery of the patient. The systolic murmur is recorded more clearly and with greater intensity than on Trace No. 1, which was obtained by simultaneous recording on the chest wall by conventional phonocardiography.

An internal on-the-spot "listening post", the AEL heart microphone, using a barium titanate cartridge as a sound pickup in the catheter tip, is an invaluable aid for determining the precise location and nature of obscure cardiac murmurs.

Audio tape recordings can be made and translated into spectrograms for later analysis. These phonocardiograms may be made with any conventional EKG or other recorder. By correlating the phonocardiogram with an EKG record, the cardiologist may arrive at a more precise diagnosis.

The AEL Phonocatheter is suitable for use with any age group, and is particularly useful with small children . . . even with premature infants. AEL Phonocatheters are now being widely used by cardiologists throughout the world.

Two standard models are available.

- AEL Model 191 is a Single Lumen Phonocatheter, for sound pickup only, 150 cm long and approximately 2 mm diameter (#5 French).
- AEL Model 192 is a Double Lumen Phonocatheter, for sound pickup and simultaneous blood sampling, 150 cm long and approximately 3 mm diameter (#8½ French).

A report on the use of intracardiac phonocatheters is described in a 20-page reprint of: "Acoustic Mapping Within the Heart"

Also available is an actual phonocatheter tape recording, with commentary, of actual intracardiac sounds. Both may be obtained without cost or obligation by writing on your letterhead to American Electronic Laboratories, Inc., Medical Products Division, 1301 Richardson Road, Colmar, Pennsylvania.



American Electronic Laboratories, Inc.

1301 RICHARDSON ROAD, COLMAR, PENNSYLVANIA (near Philadelphia)

Phone (215) 822-0131

*The Journal of the Acoustical Society of America, Vol. 29, No. 1, pp 9-15, January 1957



when the rise begins...

bring pressure
down with
RAUWILOID[®]

(tablets alseroxylon, 2mg)

When hypertension is still moderate, all it usually takes to bring blood pressure back to normal is 2 RAUWILOID tablets h.s. (then one daily to maintain control).

In nine years of use, RAUWILOID has proved its ability to control four of every five cases of mild to moderate hypertension. And in all that time, no

claims have had to be revised; no change has been required in the original dosage recommendation.

RAUWILOID is the antihypertensive, bradycrotic, sedative combination of the desirable alkaloids extracted from Rauwolfia serpentina. (For complete information regarding use, see P.D.R. '62. Professional literature also available on request.)



RIKER LABORATORIES, INC. • NORTHRIDGE, CALIFORNIA

Circulation

VOL. XXVI

DECEMBER, 1962

NUMBER 6

CONTENTS

INDEX ISSUE

EDITORIAL:

- By U. S. von Euler 1233

ORIGINAL ARTICLES:

- Supravalvular Aortic Stenosis in Association with Mental Retardation and a Certain Facial Appearance. A. J. Beuren, J. Apitz, and D. Harmjanz..... 1235
- Mitral Regurgitant Flow and Left Ventricular Function in Patients with Mitral Valve Disease. Anthony D. Jose and L. Bernstein..... 1241
- The Significance of Asplenia in the Recognition of Inoperable Congenital Heart Disease. William C. Roberts, William B. Berry, and Andrew G. Morrow... 1251
- The Two-Step Exercise Electrocardiogram. A Double-Blind Evaluation of Its Use in the Diagnosis of Angina Pectoris. Charles K. Friedberg, Harry L. Jaffe, Leon Perdy, and Kenneth Chesky..... 1254
- Quadrilateral Peripheral Vascular Disease in the Young Adult. Falls B. Hershey, Morton D. Pereira, and Robert C. Ahlvin..... 1261
- The Effects of Surgical Abolition of Left-to-Right Shunts on the Pulmonary Vascular Dynamics of Patients with Pulmonary Hypertension. Nina S. Braunwald, Eugene Braunwald, and Andrew G. Morrow..... 1270
- Hemodynamic Studies of a Monoamine Oxidase Inhibitor, DI-Serine-N²-Isopropylhydrazide (BO 4-1038). Mechanism of Hypotensive Action. M. H. Maxwell, H. C. Gonick, L. Scaduto, M. L. Pearce, and C. R. Kleeman..... 1279
- Atherosclerotic Disease of the Coronary Arteries. A Pathologic-Radiologic Correlative Study. Joseph H. Eusterman, Richard W. P. Achor, Owings W. Kincaid, and Arnold L. Brown, Jr. 1288
- The Apical First Heart Sound as an Aid in the Diagnosis of Atrial Septal Defect. Jose F. Lopez, Harold Linn, and Aaron B. Shaffer..... 1296
- Physiologic Studies Following Surgical Correction of Atrial Septal Defect and Similar Lesions. Kai Rehder, John W. Kirklin, and Richard A. Theye.. 1302
- Use of Bayes' Theorem in Ophthalmodynamometry. E. F. Vastola and T. Kokubu 1312
- Successful Excision of a Left Ventricular Hamartoma. Report of a Case. Floyd R. Parks, Jr., Forrest Adams, and William P. Longmire, Jr. 1316
- Rupture of the Infarcted Interventricular Septum. Surgical Repair with Survival. Orville W. Boicourt, Leonard W. Ritzmann, John D. Chase, Albert Starr, and Colin W. McCord..... 1321
- Mitral Insufficiency Resulting from Rupture of Normal Chordae Tendineae. Report of a Surgically Corrected Case. L. E. January, June M. Fisher, and J. L. Ehrenhaft..... 1329
- Inadvertent Myocardial Biopsy. A Potential Hazard during Left Ventricular Puncture. David H. Blankenhorn, Roger W. Jelliffe, Neal F. Amsden, and John L. Johnson 1334
- The Electrocardiogram in Ventricular Hypertrophy and Bundle-Branch Block. A Panel Discussion. Charles E. Kossmann, Moderator, Howard B. Burchell, Raymond D. Pruitt, and Ralph C. Scott..... 1337

SPECIAL ARTICLE:

- Patterns of Disease, Controlled Populations, and Experimental Design. Herbert L. Ratcliffe and Robert L. Snyder..... 1352

CLINICAL PROGRESS:

- Primary Pulmonary Hypertension. Review of Clinical Features and Pathologic Physiology with a Report of Pulmonary Hemodynamics Derived from Repeated Catheterization. Julian C. Slesper, Edward S. Orgain, and Henry D. McIntosh..... 1358

ABSTRACTS

- 1370

NEWS FROM THE AMERICAN HEART ASSOCIATION

- 1386

CONTRIBUTORS TO THIS ISSUE

- 1390

VOLUME AUTHOR INDEX

- 1393

VOLUME SUBJECT INDEX

- 1395

